Printing date 13.01.2017

Version number 1

Revision: 13.01.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Pink Mule Black Label 6, 12, 16, 18, 20 mg/ml **Nicotine content:** 6, 12, 16, 18, 20 mg/ml **Registration number:** Substances contained in the mixture have already (pre)-registered by the suppliers.

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. **Application of the substance / the mixture:** Raw Material for Industrial Use

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: PINK MULE SL Calle Real 6-8 06670 Herrera del Duque Badajoz - ES Spain 0034 924652075 - 0034 924652072

1.4 Emergency telephone number:



Emergency telephone number: 112

1.5 Information Telephone Number



SustChem 365/24: +30 210 8252833

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP:



GHS06 skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP: The product is classified and labelled according to the CLP regulation. Hazard pictograms:



Signal word: Danger

(Contd. on page 2)

Printing date 13.01.2017

Version number 1

Revision: 13.01.2017

Trade name: Pink Mule Black Label 6, 12, 16, 18, 20 mg/ml

(Contd. of page 1)

0.6-2%

Hazard-determining components of labelling: nicotine

Hazard statements:

H311 Toxic in contact with skin.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Ingredients according Regulation (EU) 830/2015:

 CAS: 54-11-5
 nicotine

 EINECS: 200-193-3
 Acute Tox. 3, H301; Acute Tox. 1, H310; Aquatic Chronic 2, H411

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

After inhalation: Seek medical treatment in case of complaints.

After skin contact:

Immediately rinse with water.

Remove contaminated clothing.

After eye contact: Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms after swallowing large quantities: Headache, Vomiting, Gastrointestinal symptoms, Diarrhoea

(Contd. of page 2)

Safety Data Sheet Complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 13.01.2017

Version number 1

Revision: 13.01.2017

Trade name: Pink Mule Black Label 6, 12, 16, 18, 20 mg/ml

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire. Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

6.1.2 For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

57-55-6 Methyl glycol

WEL (Great Britain) Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates

(Contd. on page 4)

Printing date 13.01.2017

Version number 1

Revision: 13.01.2017

Trade name: Pink Mule Black Label 6, 12, 16, 18, 20 mg/ml

		(Contd. of pag
54-11-5 nicotine		
WEL (Great Britain)	Short-term value: 1.5 mg/m ³	
	Long-term value: 0.5 mg/m ³	
	Sk	
IOELV (EU)	Long-term value: 0.5 mg/m ³	
	Skin	
DNELs		
Propane-1,2-diol cas	number: 57-55-6	
Workers long-term sy	stemic effects via inhalation route : 168 mg/m ³	
Workers long-term lo	cal effects via inhalation route : 10 mg/m ³	
Consumers long-term	systemic effects via inhalation route : 50 mg/m ³	
Consumers long-term	local effects via inhalation route : 10 mg/m3	
PNECs		
Propane-1,2 -diol cas	number: 57-55-6	
Fresh water : 260 mg	<u>z/1</u>	
Marine water : 26 mg	g/l	
Intermittent releases :	183 mg/l	
STP: 20000 mg/l		
Fresh water sediment	: 572 mg/kg d.w.	
Marine sediment : 57.		
Soil : 50 mg/kg d.w.		

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required. Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 5)

Printing date 13.01.2017

Version number 1

Revision: 13.01.2017

Trade name: Pink Mule Black Label 6, 12, 16, 18, 20 mg/ml

(Contd. of page 4)

(Contd. on page 6)

Eye protection:

N

Body protection:

Protective work clothing

Face protection

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties **General Information Appearance:** Form: Liquid **Colour:** Colourless Odourless **Odour: Odour threshold:** Not determined pH value: Not determined Melting point/freezing point: Not determined Initial boiling point and boiling range: Not determined 104 °C Flash point: Not Flammable Flammability (solid, gas): Not applicable Not determined Auto-ignition temperature: **Decomposition temperature:** Not determined Auto-ignition temperature: Product is not selfigniting. **Explosive properties:** Product does not present an explosion hazard. **Explosion limits:** Not determined Lower: Not determined **Upper:** Not considered as oxidising. **Oxidising properties** Vapour pressure: Not determined Not determined **Density: Relative density** Not determined Vapour density Not determined **Evaporation rate** Not determined

Printing date 13.01.2017	Version number 1	Revision: 13.01.2017
Trade name: Pink Mule Black Label 6, 12,	16, 18, 20 mg/ml	
		(Contd. of page 5)
Solubility in / Miscibility with		
water:	Fully miscible	
Partition coefficient: n-octanol/water:	Not determined	
Viscosity:		
Dynamic:	Not determined	
Kinematic:	Not determined	
Solvent content:		
Organic solvents:	0.0 %	
VOC (EC)	0.00 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Toxic in contact with skin.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 16667 mg/kg (rat)

Dermal LD50 833 mg/kg (rat)

54-11-5 nicotine

Oral LD50 100 mg/kg (rat)

Dermal LD50 5 mg/kg (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. of page 6)

Safety Data Sheet Complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 13.01.2017

Version number 1

Revision: 13.01.2017

Trade name: Pink Mule Black Label 6, 12, 16, 18, 20 mg/ml

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Propane-1,2-diol cas number: 57-55-6

LC50 Oncorhynchus mykiss, 96 h: 40.613 mg/l

LC50 Ceriodaphnia dubia, 48 h: 18.340 mg/l

LC50 Mysidopsis bahia, 96 h: 18.800 mg/l

ErC50 Selenastrum capricornutum, 96 h: 19.000 mg/l

ErC50 Skeletonema costatum,96 h: 19.100 mg/l

54-11-5 nicotine

EC50-48h 0.242 mg/l (daphnia magna) (/3-75-009)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations. Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information

14.1 UN-Number ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG, IATA

UN3144

3144 NICOTINE PREPARATION, LIQUID, N.O.S. NICOTINE PREPARATION, LIQUID, N.O.S.

(Contd. on page 8)

rinting date 13.01.2017	Version number 1	Revision: 13.01.201
Frade name: Pink Mule Black Label 6, 12	, 16, 18, 20 mg/ml	
14.3 Transport hazard class(es)		(Contd. of page 2
•		
ADR, IMDG, IATA		
<u> </u>		
Class	6.1 Toxic substances.	
Label	6.1	
14.4 Packing group		
ADR, IMDG, IATA	III	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Warning: Toxic substances.	
Danger code (Kemler):	60 E A S A	
EMS Number: Stowage Category	F-A,S-A B	
Stowage Code	SW2 Clear of living quarters.	
14.7 Transport in bulk according to A		
Marpol and the IBC Code	Not applicable.	
Transport/Additional information:		
ADR		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner	
	Maximum net quantity per outer	r packaging: 1000 ml
Transport category Tunnel restriction code	2 E	
Tunnel Testriction code	L	
IMDG		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	Code: E1	1 . 20 1
	Maximum net quantity per inner	
UN "Model Degulation".	Maximum net quantity per outer UN 3144 NICOTINE PREPAR	
UN "Model Regulation":	6.1, III	ATION, LIQUID, N.U.S.,

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

(Contd. of page 8)

Safety Data Sheet Complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 13.01.2017

Version number 1

Revision: 13.01.2017

Trade name: Pink Mule Black Label 6, 12, 16, 18, 20 mg/ml

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H411 Toxic to aquatic life with long lasting effects.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Recommended restriction of use The product is only for adults over 18 years.

Department issuing SDS:



SUSTCHEM Engineering Ltd REACH & Chemical Services Department 144, 3rd Septemvriou, GR 112 51, Athens, Greece Tel.: +30 210 8252510 Fax: +30 210 8252575 E-mail: info@suschem.gr Website: www.sustchem.gr

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 1: Acute toxicity - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2